

Literaturverzeichnis Prof. Dr.rer.nat. Doris Klee (Stand: 01.08.2011)

1. Soehnlein, O., Wantha, S., Simsekylmaz, S., Döring, Y., Megens R.T.A., Mause, S.F., Drechsler, M., Smeets, R., Weinandy, S., Schreiber, F., Gries, T., Jockenhoevel, S., Möller, M., Vijayan, S., 3, van Zandvoort, M.A.M., Agerberth, B., Pham, C.T., Gallo, R.G., Hackeng, T.M., Liehn, E.A., Zerneck, A., **Klee, D.**, Weber, C., Neutrophil-derived cathelicidin protects from neointimal hyperplasia *Science Translational Medicine* **2011**, 3, 103ra98
2. Haamann, D., Bispinghoff, M., Hönders, D., Suschek, C., Möller, M., **Klee, D.**, Electrospun Fibers from functional Polyglycidol/Poly(ϵ -caprolactone) Blends with Defined Surface Properties, *Journal of Applied Polymer Science* **2011**, manuscript submitted.
3. Haamann, D., Suschek, C., Ruth, P., Krähnke M., Schöttler, S., Heine, E., Möller, M., **Klee, D.**, Nonadhesive, antibacterial wound dressings, *Wound Repair and Regeneration* **2011**, manuscript submitted.
4. Scheidle, M.; Dittrich, B.; Klinger, J.; Ikeda, H.; **Klee, D.**; Büchs, J., Controlling pH in shake flasks using polymer-based controlled-release discs with pre-determined release kinetics. *BMC Biotechnology* **2011**, 11, (1), 25.
5. Recker, T.; Haamann, D.; Schmitt, A.; Külster, A.; **Klee, D.**; Barth, S.; Müller-Newen, G., Directed Covalent Immobilization of Fluorescently Labeled Cytokines. *Bioconjugate Chemistry* **2011**, 22, (6), 1210-1220.
6. Ou, L.; Li, W.; Zhang, Y.; Wang, W.; Liu, J.; Sorg, H.; Furlani, D.; Gäbel, R.; Mark, P.; Klopsch, C.; Wang, L.; Lützow, K.; Lendlein, A.; Wagner, K.; **Klee, D.**; Liebold, A.; Li, R.-K.; Kong, D.; Steinhoff, G.; Ma, N., Intracardiac injection of matrigel induces stem cell recruitment and improves cardiac functions in a rat myocardial infarction model. *Journal of Cellular and Molecular Medicine* **2011**, 15, (6), 1310-1318.
7. Haamann, D., Yoshida, H., Keul, H., Akashi, M., **Klee, D.**, Möller, M., Vinyl Sulfonate Terminated Polyglycidol for Biomedical Applications, *Proceedings of the European Polymer Congress 2011*, ISBN 978-84-694-3124-5, 546.
8. Grafahrend, D., Jungbecker, P., Seide, G., Leonhards, H., Gries, T., Möller, M., **Klee, D.** Development and optimization of an electrospinning device for the continuous collection of nano- and microparticles *The Open Chemical and Biomedical Methods Journal* **2010** 3, 1-9
9. Klinkhammer, K., Bockelmann, J., Simitzis, C., Brook, G.A., Grafahrend, D., Groll, J., Möller, M., **Klee, D.**, Functionalization of electrospun fibers of poly(ϵ -caprolactone) with star shaped NCO-poly(ethylene glycol)-stat-poly(propylene glycol) for neuronal cell guidance *J.Mater.Sci.: Mater.Med* **2010** 21(9), 2637-2651
10. Lösel, R.; Grafahrend, D.; Möller, M.; **Klee, D.**, Bioresorbable Electrospun Fibers for Immobilization of Thiol-Containing Compounds, *Macromolecular Bioscience* **2010**, 10, (10), 1177-1183.
11. Haamann, D., Bruellhoff, K., Heine, E., Ruth, P., Möller, M., **Klee, D.**, *Biofunctional hydrogel coatings for non-adhesive wound dressings, Proceedings of the 4th Aachen-Dresden Int. Text. Conference 2010.*
12. Schmidt, W., Schultze, C., Rupp, U., Buss, D., Stachs, O., Sternberg, K., **Klee, D.**, Chichkov, B., Guthoff, R.F., Schmitz K.-P., Fluid dynamic requirements for glaucoma implant devices *Nova Acta Leopoldina* **2010** NF 111(379), 55-62.
13. Vidović, E.; **Klee, D.**; Höcker, H., Characterization of degraded hydrogels based on poly(vinyl alcohol) grafted with poly(lactide-co-glycolide). *J. Appl. Polym. Sci.* **2010**, 119, (3), 1322-1329.
14. Scheidle, M.; Jeude, M.; Dittrich, B.; Denter, S.; Kesy, F.; Suckow, M.; **Klee, D.**; Büchs, J., High-throughput screening of Hansenula polymorpha clones in the batch compared with the controlled-release fed-batch mode on a small scale. *FEMS Yeast Research* **2010**, 10, (1), 83-92.
15. Dittrich, B., Haamann, D., Biedron, S., Wrzeszcz, A., Wenzel, G., Ilgner, J., Westhofen, M., Reuter, G., Möller, G., Lenarz, T., **Klee, D.**, PDMS Encapsulant Releasing Dexamethasone and its influence on the growth of fibrocytes, *The International Journal of Artificial Organs* **2010**, 33(7), 427-428.
16. Haamann, D., Schöttler, S., Ruth, P., Möller, M., **Klee, D.** Antimikrobielle Antimicrobial hydrogel coating for non-adhesive wound dressings, *Technical Textiles* **2010**, 1/2010, E16 & Technische Textilien 2010, 5/2010, E156.

17. Lösel, R., Möller, M., **Klee, D.**, Photoreactive Biodegradable Electrospun Fibers, *Eur. Cell. Mater.* **2010**, 20(S3), 162; ISSN 1473-2262.
18. Lösel, R., **Klee, D.**, Hemmrich, K., Ma, M., Biofunctionalized Nanofibers for Controlled Proliferation and Differentiation of Human Preadipocytes and Endothelial Cells, *Biomed. Tech.* **2010**, 55(S1), K13 – K16; DOI:10.1515/BMT.2010.711.
19. Heuts, J.; Salber, J.; Goldyn, A. M.; Janser, R.; Möller, M.; **Klee, D.**, Bio-functionalized star PEG-coated PVDF surfaces for cytocompatibility-improved implant components. *Journal of Biomedical Materials Research Part A* **2010**, 92A, (4), 1538-1551.
20. Henning, A.; Schneider, M.; Nafee, N.; Muijs, L.; Rytting, E.; Wang, X.; Kissel, T.; Grafahrend, D.; **Klee, D.**; Lehr, C.-M., Influence of particle size and material properties on mucociliary clearance from the airways. *J Aerosol Med Pulm Drug Deliv* **2010**, 23, (4), 233-41.
21. Haamann, D.; Keul, H.; **Klee, D.**; Möller, M., Functionalization of Linear and Star-Shaped Polyglycidols with Vinyl Sulfonate Groups and Their Reaction with Different Amines and Alcohols. *Macromolecules* **2010**, 43, (15), 6295-6301.
22. Haamann, D., Keul, H., **Klee, D.**, Möller, M., Star Shaped Polyglycidols End Capped with Vinyl Sulfonate Groups and Conjugation Reaction with Dodecylamine, *Macromolecular Symposia* **2010**, 296, 1-4.
23. Haamann, D., Dittrich, B., Wenzel, G., Wrzeszcz, A., Biedron, S., Westhofen, M. Möller, M., Reuter, G., Lenarz, T., **Klee, D.**, Modell eines neuartigen, Dexamethason freisetzenden Cochlea Implantats, *Zeitschrift für Biomedizinische Technik* **2010**, 55, Supplement 1, DOI 10.1515/BMT.2010.257.
24. Haamann, D., Schöttler, S., Ruth, P., Möller, M., Klee, D., *Antimikrobielle Hydrogelbeschichtungen für Nichthaftende Wundauflagen*, Proceedings of the 3rd Aachen-Dresden International Textile Conference **2009**. Aachen, Germany ISSN 1867-6405.
25. **Klee, D.**, Haamann, D., Schöttler, S., Heine, E., Möller, M., Antimicrobial modifications of hydrogel coatings, *BIOmaterialien* **2009** 10(3/4), 120
26. Grafahrend, D., Heffels, K.-H.; Martin Möller; **Klee, D.**; Groll, J., Electrospun, Biofunctionalized Fibers as Tailored in vitro Substrates for Keratinocyte Cell Culture. *Macromolecular Bioscience* **2010**, Volume 10, Issue 9, pages 1022–1027, September 9, **2010**.
27. Yoshida, H.; Klinkhammer, K.; Matsusaki, M.; Möller, M.; **Klee, D.**; Akashi, M., Disulfide-Crosslinked Electrospun Poly(γ -glutamic acid) Nonwovens as Reduction-Responsive Scaffolds. *Macromol. Biosci.* **2009**, 9, (6), 568-574.
28. Vidovic, E.; **Klee, D.**; Hocker, H., Degradation behavior of hydrogels from poly(vinyl alcohol)-graft-[poly(rac-lactide)/poly(rac-lactide-co-glycolide)]: influence of the structure and composition on the material's stability. *J. Appl. Polym. Sci.* **2009**, 112, (3), 1538-1545.
29. Dittrich, B., Haamann, D., Wenzel, G., Möller, M., **Klee, D.**, Dexamethasone Releasing Cylindrical Polydimethylsiloxane Matrices, *BIOmaterialien* **2009**, 10 (S1), 61.
30. Dittrich, B., Haamann, D., Wenzel, G., Möller, M., Lenarz, T., **Klee, D.**, Model of a new Protein repelling Cochlea Implant equipped with a local Drug Delivery system, *BIOmaterialien* **2009**, 10 (3/4), 102.
31. Recker, T., Haamann, D., **Klee, D.**, Barth, S., Müller-Newen, G., Directed immobilization of fluorescently labelled cytokines for the analysis of their signal transduction by confocal microscopy, *Cytokine* **2009**, 48(1-2), 132.
32. Stockmann, C.; Scheidle, M.; Dittrich, B.; Merkelbach, A.; Hehmann, G.; Melmer, G.; **Klee, D.**; Buchs, J.; Kang Hyun, A.; Gellissen, G., Process development in *Hansenula polymorpha* and *Arxula adenivorans*, a re-assessment. *Microb Cell Fact* **2009**, 8, 22.
33. Scheidle, M.; Dittrich, B.; Klinger, J.; Meissner, L.; **Klee, D.**; Buechs, J., Control of pH in shake flasks with new controlled-release systems. *Chem. Ing. Tech.* **2009**, 81, (8), 1246.
34. Klinkhammer, K.; Seiler, N.; Grafahrend, D.; Gerardo-Nava, J.; Mey, J.; Brook, G. A.; Moeller, M.; Dalton, P. D.; **Klee, D.**, Deposition of Electrospun Fibers on Reactive Substrates for In Vitro Investigations. *Tissue Eng., Part C* **2009**, 15, (1), 77-85.
35. Huber, R.; Scheidle, M.; Dittrich, B.; **Klee, D.**; Büchs, J., Equalizing growth in high-throughput small scale cultivations via precultures operated in fed-batch mode. *Biotechnol Bioeng* **2009**, 103, 1095 - 1102.

36. Guthoff, R. F.; Schmidt, W.; Buss, D.; Schultze, C.; Ruppig, U.; Stachs, O.; Sternberg, K.; **Klee, D.**; Chichkov, B.; Schmitz, K. P., Development of a glaucoma microstent with drainage into the suprachoroidal space: fluid mechanical model approach. *Ophthalmologe* **2009**, 106, (9), 805-12.
37. Gerardo-Nava, J.; Fuehrmann, T.; Klinkhammer, K.; Seiler, N.; Mey, J.; **Klee, D.**; Moeller, M.; Dalton, P. D.; Brook, G. A., Human neural cell interactions with orientated electrospun nanofibers in vitro. *Nanomedicine (London, U. K.)* **2009**, 4, (1), 11-30.
38. R. Lösel, D. Furlani, N. Paul, D. Grafahrend, K. Hemmrich, N. Ma, M. Möller, **D. Klee**, Biofunctionalized Polymer Nonwovens as Scaffolds for Soft Tissue Engineering, *BIOmaterialien* **2009**, 10(S1), 88.
39. Garg, P.; **Klee, D.**; Keul, H.; Moeller, M., Electrospinning of Novel Poly(ester amide)s. *Macromol. Mater. Eng.* **2009**, 294, (10), 679-690.
40. Garg, P.; Keul, H.; **Klee, D.**; Möller, M., Thermal Properties of Poly(ester amide)s with Isolated, Two Adjacent and Three Adjacent Amide Groups within a Polyester Chain. *Macromol. Chem. Phys.* **2009**, 210, (20), 1754-1765.
41. Garg, P.; Keul, H.; **Klee, D.**; Moeller, M., Concept and synthesis of poly(ester amide)s with one isolated, two or three consecutive amide bonds randomly distributed along the polyester backbone. *Des. Monomers Polym.* **2009**, 12, (5), 405-424.
42. Lösel, R., Furlani, D., Paul, N., Ma, N., Hemmrich, K., Möller, M., **Klee, D.**, Biofunctionalized Fiber Structures as Textile Bionterface for Controlled Proliferation and Differentiation of Human Preadipocytes and Endothelial Cells, *Proc. of the 3rd Aachen-Dresden International Textile Conference*, November 26 – 27, **2009**, Aachen, Germany, ISSN 1867-6405, P38.
43. Lösel, R., Furlani, D., Paul, N., Mosen, F., Wambach, M., Ma, N., Hemmrich, K., Möller, M. **Klee, D.**, Release of Arginine Derivatives from Electrospun Poly(caprolactone) Fibers, *Proc. of the 3rd Aachen-Dresden International Textile Conference*, November 26 – 27, **2009**, Aachen, Germany, ISSN 1867-6405, P37.
44. Vidovic, E.; **Klee, D.**; Höcker, H., Degradation behavior of the hydrogel poly(vinyl alcohol)-graft-poly[(rac-lactide)-co-glycolide] under different conditions. *Macromol. Symp.* **2008**, 272, ((Bio)degradable Polymers from Renewable Resources), 39-44.
45. Paul, N. E.; Skazik, C.; Harwardt, M.; Bartneck, M.; Denecke, B.; **Klee, D.**; Salber, J.; Zwadlo-Klarwasser, G., Topographical control of human macrophages by a regularly microstructured polyvinylidene fluoride surface. *Biomaterials* **2008**, 29, (30), 4056-4064.
46. Leixa Calvet, J.; Grafahrend, D.; **Klee, D.**; Möller, M., Sterilization effects on starPEG coated polymer surfaces: characterization and cell viability. *J. Mater. Sci.: Mater. Med.* **2008**, 19, (4), 1631-1636.
47. **Klee, D.**; Boeing, J.; Höcker, H., Surface modification of titanium for improvement of the interfacial biocompatibility. *Met. Biomater. Interfaces* **2008**, 81-83, 102-116.
48. Lösel, R., Grafahrend, D., Möller, M., **Klee, D.**, Thiol-reactive Electrospun Fiber Structures as Cell Culture Scaffolds, *BIOmaterialien* **2008**, 9, 129.
49. **Klee, D.**, Mosen, F., Furlani, D., Wambach, M., Lösel, R., Ma, N., Arginine-containing nanofibers for stimulated angiogenesis of tissue engineered substrates. *BIOmaterialien* **2008**, 9, 143
50. Hoffmann, J.; Paul, A.; Harwardt, M.; Groll, J.; Reeswinkel, T.; **Klee, D.**; Möller, M.; Fischer, H.; Walker, T.; Greiner, T.; Ziemer, G.; Wendel, H. P., Immobilized DNA aptamers used as potent attractors for porcine endothelial precursor cells. *J. Biomed. Mater. Res., Part A* **2008**, 84A, (3), 614-621.
51. Hemmrich, K.; Salber, J.; Meersch, M.; Wiesemann, U.; Gries, T.; Pallua, N.; **Klee, D.**, Three-dimensional nonwoven scaffolds from a novel biodegradable poly(ester amide) for tissue engineering applications. *J. Mater. Sci.: Mater. Med.* **2008**, 19, (1), 257-267.
52. Grafahrend, D.; Leixa Calvet, J.; Salber, J.; Dalton, P. D.; Möller, M.; **Klee, D.**, Biofunctionalized poly(ethylene glycol)-block-poly(ϵ -caprolactone) nanofibers for tissue engineering. *J. Mater. Sci.: Mater. Med.* **2008**, 19, (4), 1479-1484.
53. Grafahrend, D.; Calvet, J. L.; Klinkhammer, K.; Salber, J.; Dalton, P. D.; Möller, M.; **Klee, D.**, Control of protein adsorption on functionalized electrospun fibers. *Biotechnol. Bioeng.* **2008**, 101, (3), 609-621.

54. Paul, N., Skazik, C., Harwardt, M., Bartneck, M., Denecke, B., **Klee, D.**, Salber, J., Zwadlo-Klarwasser, G., Topographical control of human macrophages by a regularly microstructured polyvinylidene fluoride surface. *Biomaterials* **2008**, 29, 4056-4064
55. Furlani, D.; Klopsch, C.; Gaebel, R.; Ugurlucan, M.; Pittermann, E.; **Klee, D.**; Wagner, K.; Li, W.; Wang, W.; Ong, L. L.; Nizze, H.; Titze, U.; Luetzow, K.; Lendlein, A.; Steinhoff, G.; Ma, N., Intracardiac Erythropoietin Injection Reveals Antiinflammatory Potential and Improved Cardiac Functions Detected by Forced Swim Test. *Transplant. Proc.* **2008**, 40, (4), 962-966.
56. Grafahrend, D., Rosenthal, M., Lleixa Calvet, J., Colombe, G., **Klee, D.**, Dalton, P.D., Ivanov, D.A., Möller, M., Melt electrospinning of polypropylene: Influence of applied voltage on structure formation. Proc. 2nd Aachen-Dresden Int. Text. Conference, Dresden, **2008**, ISSN 1867-6405; P5
57. Blondin, D.; Schaper, J.; **Klee, D.**; Reihs, T.; Hammer, R.; Modder, U.; Messing-Junger, M., Evaluation of malformations of the fetal central nervous system using fetal MRI. *Rofo* **2008**, 180, (8), 715-21.
58. Vidovic, E.; **Klee, D.**; Hocker, H., Synthesis and characterization of poly(vinyl alcohol)-graft-[poly(D,L-lactide)/poly(D,L-lactide-co-glycolide)] hydrogels. *J. Polym. Sci., Part A: Polym. Chem.* **2007**, 45, (19), 4536-4544.
59. Schnell, E.; Klinkhammer, K.; Balzer, S.; Brook, G.; **Klee, D.**; Dalton, P.; Mey, J., Guidance of glial cell migration and axonal growth on electrospun nanofibers of poly-ε-caprolactone and a collagen/poly-ε-caprolactone blend. *Biomaterials* **2007**, 28, (19), 3012-3025.
60. Salber, J.; Graeter, S.; Harwardt, M.; Hofmann, M.; **Klee, D.**; Dujic, J.; Jinghuan, H.; Ding, J.; Kippenberger, S.; Bernd, A.; Groll, J.; Spatz, J. P.; Moeller, M., Influence of different ECM mimetic peptide sequences embedded in a nonfouling environment on the specific adhesion of human-skin keratinocytes and fibroblasts on deformable substrates. *Small* **2007**, 3, (6), 1023-1031.
61. **Klee, D.**, Lleixa Calvet, J., Lösel, R., Heckmann, L., Dauner, M., Brenner, R., Groll, J., Möller, M., Biomimetic Surface Modification of Three-dimensional Poly(L-lactide) Scaffolds, *BIOMaterialien* **2007**, 8(S1), 52
62. Grafahrend, D.; Gasteier, P.; Calvet, J. L.; Dalton, P. D.; **Klee, D.**; Groll, J.; Moeller, M., Evaluation of protein adsorption behaviour on nanofiber surfaces. *Proc. Aachen-Dresden Int. Text. Conf., 1st* **2007**, 255-260.
63. Gavenis, K.; **Klee, D.**; Pereira-Paz, R. M.; von Walter, M.; Mollenhauer, J.; Schneider, U.; Schmidt-Rohlfing, B., BMP-7 loaded microspheres as a new delivery system for the cultivation of human chondrocytes in a collagen type-I gel. *J. Biomed. Mater. Res., Part B* **2007**, 82B, (2), 275-283.
64. Dittrich, B.; **Klee, D.**; Hoecker, H., Highly efficient encapsulation of a water-soluble drug in silicone microspheres in a solvent evaporation process. *Proc. Aachen-Dresden Int. Text. Conf., 1st* **2007**, 375-380.
65. Dalton, P. D.; Grafahrend, D.; Klinkhammer, K.; **Klee, D.**; Moeller, M., Electrospinning of polymer melts: Phenomenological observations. *Polymer* **2007**, 48, (23), 6823-6833.
66. Calvet, J. L.; Grafahrend, D.; **Klee, D.**; Moeller, M., Sterilization effects on starPEG coated and biofunctionalised knitted PVDF textile. *Proc. Aachen-Dresden Int. Text. Conf., 1st* **2007**, 265-266.
67. Tyszler, D.; Zytner, R. G.; Batsch, A.; Bruegger, A.; Geissler, S.; Zhou, H.; **Klee, D.**; Melin, T., Reduced fouling tendencies of ultrafiltration membranes in wastewater treatment by plasma modification. *Desalination* **2006**, 189, (1-3), 119-129.
68. Jeude, M.; Dittrich, B.; Niederschulte, H.; Anderlei, T.; Knocke, C.; **Klee, D.**; Buechs, J., Fed-batch mode in shake flasks by slow-release technique. *Biotechnol. Bioeng.* **2006**, 95, (3), 433-445.
69. Hoffmann, J.; Groll, J.; Heuts, J.; Rong, H.; **Klee, D.**; Ziemer, G.; Moeller, M.; Wendel, H. P., Blood cell and plasma protein repellent properties of Star-PEG-modified surfaces. *J. Biomater. Sci., Polym. Ed.* **2006**, 17, (9), 985-996.
70. Hemmrich, K.; Meersch, M.; Wiesemann, U.; Salber, J.; **Klee, D.**; Gries, T.; Pallua, N., Polyesteramide-derived nonwovens as innovative degradable matrices support preadipocyte adhesion, proliferation, and differentiation. *Tissue Eng.* **2006**, 12, (12), 3557-3565.
71. Dalton, P. D.; Klinkhammer, K.; Salber, J.; **Klee, D.**; Moeller, M., Direct in Vitro Electrospinning with Polymer Melts. *Biomacromolecules* **2006**, 7, (3), 686-690.
72. Dalton, P. D.; Calvet, J. L.; Mourran, A.; **Klee, D.**; Moeller, M., Melt electrospinning of poly(ethylene glycol-block-ε-caprolactone). *Biotechnol. J.* **2006**, 1, (9), 998-1006.

73. Ademovic, Z.; Gonera, A.; Mischnick, P.; **Klee, D.**, Biocompatible Surface Preparation Using Amino-Functionalized Amylose. *Biomacromolecules* **2006**, 7, (5), 1429-1432.
74. Wehner, M. M.; Teutu-Kengne, A.-F.; Brkovic, D.; Henning, T.; **Klee, D.**; Poprawe, R.; Jakse, G., Microsurgical anastomosis of sperm duct by laser tissue soldering. *Proc. SPIE-Int. Soc. Opt. Eng.* **2005**, 5686, (Photonic Therapeutics and Diagnostics), 226-233.
75. Linnemann, B.; Ali, R.; Gries, T.; Grafahrend, D.; **Klee, D.**; Moeller, M.; Roth, G., Electrospinning: nanofiber from polycaprolactone (PCL). *Chem. Fibers Int.* **2005**, 55, (6), 370-372.
76. **Klee, D.**; Paz, R. M.; Malessa, R.; Schenck, P. Method for embedding drugs in a collagen carrier for use in wound healing. 2003-10350654, 20031029., 2005.
77. Heine, E.; Vangeyte, P.; Knops, G.; Schaefer, K.; **Klee, D.**; Terenzi, C.; Moeller, M., Antimicrobial functionalization through natural and synthetic polycationic polymers. *Melliand Textilber.* **2005**, 86, (5), E84,357.
78. Groll, J.; Ademovic, Z.; Ameringer, T.; **Klee, D.**; Moeller, M., A Comparison of Coatings from Reactive Star Shaped PEG-stat-PPG Prepolymers and Grafted Linear PEG for Biological and Medical Applications. *Biomacromolecules* **2005**, 6, (null), 956.
79. Feng, Y.; **Klee, D.**; Hoecker, H., Lipase-catalyzed ring-opening polymerization of 6(S)-methylmorpholine-2,5-dione. *J. Polym. Sci., Part A: Polym. Chem.* **2005**, 43, (14), 3030-3039.
80. Dalton, P. D.; **Klee, D.**; Moeller, M., Electrospinning with dual collection rings. *Polymer* **2005**, 46, (3), 611-614.
81. Siggelkow, W.; Gescher, D. M.; Siggelkow, A.; **Klee, D.**; Malik, E.; Rath, W.; Faridi, A., In vitro analysis of modified surfaces of silicone breast implants. *Int J Artif Organs* **2004**, 27, (12), 1100-8.
82. Schurmann, K.; Lahann, J.; Niggemann, P.; Klosterhalfen, B.; Meyer, J.; Kulisch, A.; **Klee, D.**; Gunther Rolf, W.; Vorwerk, D., Biologic response to polymer-coated stents: in vitro analysis and results in an iliac artery sheep model. *Radiology* **2004**, 230, (1), 151-62.
83. **Klee, D.**; Weiss, N.; Lahann, J., Vapor-based polymerization of functionalized [2.2]paracyclophanes: a unique approach towards surface-engineered microenvironments. *Mod. Cyclophane Chem.* **2004**, 463-484.
84. **Klee, D.**; Boeing, J.; Hoecker, H., Surface modification of titanium for improvement of the interfacial biocompatibility. *Materialwiss. Werkstofftech.* **2004**, 35, (4), 186-191.
85. Harwardt, M. M.; **Klee, D.**; Bernd, A.; Hoecker, H.; Moeller, M., Biofunctional surface modification of PDMS with hydrogels. *DWI Rep.* **2004**, 128, 137-145.
86. Grafahrend, D.; **Klee, D.**; Dalton, P.; Moeller, M., Synthesis of poly(ethylene glycol)-block-polyester as basis for electrospun nanofibers. *DWI Rep.* **2004**, 128, 96-108.
87. Feng, Y.; **Klee, D.**; Hoecker, H., Lipase catalyzed copolymerization of 3(S)-isopropylmorpholine-2,5-dione and D,L-lactide. *Macromol. Biosci.* **2004**, 4, (6), 587-590.
88. Beginn, U.; Keul, H.; **Klee, D.**; Moeller, M.; Mourran, A.; Peter, K.; Weichold, O., Macromolecular chemistry 2003. *Nachr. Chem.* **2004**, 52, (3), 324-331.
89. Schurmann, K.; Roos, A.; Meyer, J.; Ries, B.; Lahann, J.; Hermanns, B.; Kulisch, A.; Vorwerk, D.; **Klee, D.**; Gunther, R. W., A novel hirudin coating of vascular endoprotheses: experimental results. *Rofo* **2003**, 175, (2), 262-70.
90. Roos, A.; **Klee, D.**; Schuermann, K.; Hoecker, H., Development of a temperature sensitive drug release system for polymeric implant devices. *Biomaterials* **2003**, 24, (24), 4417-4423.
91. Obolenski, B.; Klinge, U.; Klosterhalfen, B.; Schneemelcher, S.; Hoecker, B. H.; **Klee, D.**; Ademovic, Z. Modification of PVDF-textile surfaces for use as protein-free drug release matrix. 2002-DE4291 2003045461, 20021122., 2003.
92. **Klee, D.**; Weiss, N.; Ruebben, A.; Buecker, A. Drug deposition method on implants for sustained-release delivery systems. 2003-DE848 2003077967, 20030317., **2003**.
93. **Klee, D.**; Ademovic, Z.; Bosserhoff, A.; Hoecker, H.; Maziolis, G.; Erli, H.-J., Surface modification of poly(vinylidene fluoride) to improve the osteoblast adhesion. *Biomaterials* **2003**, 24, (21), 3663-3670.
94. Hoecker, H.; **Klee, D.**, Biomaterials. State of the art and future perspectives of polymers for medical applications in relation to surface compatibility. *Mirai Zairyo* **2003**, 3, (5), 6-12.
95. Gerhards, F.; Pereira-Paz, R.-M.; **Klee, D.**; Hoecker, H. Resorbable pharmaceutical formulation for the continuous release of thrombin. 2003-EP4680 2003094983, 20030505., 2003.

96. Steffens, G. C. M.; Nothdurft, L.; Buse, G.; Thissen, H.; Hocker, H.; **Klee, D.**, High density binding of proteins and peptides to poly(DL-lactide) grafted with polyacrylic acid. *Biomaterials* **2002**, 23, (16), 3523-3531.
97. Lahann, J.; Pluster, W.; Rodon, T.; Fabry, M.; **Klee, D.**; Gattner, H.-G.; Hocker, H., Universal approach towards r-hirudin derivatives with high anti-thrombin activity based on chemical differentiation of primary amino groups. *Macromol. Biosci.* **2002**, 2, (2), 82-87.
98. Kong, X.; Grabitz, R. G.; van Oeveren, W.; **Klee, D.**; van Kooten, T. G.; Freudenthal, F.; Qing, M.; von Bernuth, G.; Seghaye, M. C., Effect of biologically active coating on biocompatibility of Nitinol devices designed for the closure of intra-atrial communications. *Biomaterials* **2002**, 23, (8), 1775-1783.
99. **Klee, D.**; Kingshott, P.; Ademovic, Z.; Schrage, N.; Berndt, E. Keratoprosthesis for corneal replacement. 2001-DE4459
a. 2002043622, 20011129., 2002.
100. **Klee, D.**; Hilgers, C. e-PTFE foil impregnated with an encapsulated bioactive substance. 2001-EP11267
a. 2002026279, 20010928., 2002.
101. Feng, Y.; **Klee, D.**; Hocker, H., Synthesis of poly[(lactic acid)-alt- or co-((S)-aspartic acid)] from (3S,6R,S)-3-[(benzyloxycarbonyl)methyl]-6-methylmorpholine-2,5-dione. *Macromol. Chem. Phys.* **2002**, 203, (5/6), 819-824.
102. Feng, Y.; **Klee, D.**; Hocker, H., Biodegradable block copolymers with poly(ethylene oxide) and poly(glycolic acid-valine) blocks. *J. Appl. Polym. Sci.* **2002**, 86, (11), 2916-2919.
103. Ademovic, Z.; **Klee, D.**; Kingshott, P.; Kaufmann, R.; Hocker, H., Minimization of protein adsorption on poly(vinylidene fluoride). *Biomol. Eng.* **2002**, 19, (2-6), 177-182.
104. Zwadlo-Klarwasser, G.; Gorlitz, K.; Hafemann, B.; **Klee, D.**; Klosterhalfen, B., The chorioallantoic membrane of the chick embryo as a simple model for the study of the angiogenic and inflammatory response to biomaterials. *J. Mater. Sci.: Mater. Med.* **2001**, 12, (3), 195-199.
105. Völcker, N.; **Klee, D.**; Hocker, H.; Langefeld, S., Functionalization of silicone rubber for the covalent immobilization of fibronectin. *J. Mater. Sci.: Mater. Med.* **2001**, 12, (2), 111-119.
106. Schrade, P.; Klein, H.; Egry, I.; Ademovic, Z.; **Klee, D.**, Hydrophobic Volume Effects in Albumin Solutions. *J. Colloid Interface Sci.* **2001**, 234, (2), 445-447.
107. Lahann, J.; Pluster, W.; **Klee, D.**; Gattner, H.-G.; Hocker, H., Immobilization of the thrombin inhibitor r-hirudin conserving its biological activity. *J. Mater. Sci.: Mater. Med.* **2001**, 12, (9), 807-810.
108. Lahann, J.; **Klee, D.**; Pluester, W.; Hoecker, H., Bioactive immobilization of r-hirudin on CVD-coated metallic implant devices. *Biomaterials* **2001**, 22, (8), 817-826.
109. **Klee, D.**; Birgel, J.; Volpel, S.; Muhlenberg, R.; Schulte-Wissermann, H. *Therapy of traumatic pancreatic rupture/pseudocyst with sandostatin and external catheter drainage*; Kinderklinik Klinikum Krefeld: Germany: Germany, Federal Republic of, 2001; pp 283-5.
110. Feng, Y.; **Klee, D.**; Keul, H.; Hocker, H., Synthesis and characterization of new block copolymers with poly(ethylene oxide) and poly[3(S)-sec-butylmorpholine-2,5-dione] sequences. *Macromol. Biosci.* **2001**, 1, (1), 30-39.
111. Feng, Y.; **Klee, D.**; Hoecker, H., Biodegradable copolymers based on poly(ethylene oxide), polylactide and polydepsipeptide sequences with functional groups. *e-Polym.* **2001**, No pp given, Paper No 3.
112. Feng, Y.; **Klee, D.**; Hocker, H., Lipase-catalyzed ring-opening polymerization of 3(S)-sec-butylmorpholine-2,5-dione. *Macromol. Biosci.* **2001**, 1, (2), 66-74.
113. Feng, Y.; **Klee, D.**; Hocker, H., Calcium alcoholates of hydroxytelechelic poly(ethylene oxide)s as initiators for the ring-opening polymerization of 3-(S)-isopropylmorpholine-2,5-dione. *Macromol. Chem. Phys.* **2001**, 202, (16), 3120-3125.
114. Volz, J.; Volz-Koster, S.; Kanis, S.; **Klee, D.**; Ahlert, C.; Melchert, F., Modulation of tumor-induced lethality after pneumoperitoneum in a mouse model. *Cancer* **2000**, 89, (2), 262-6.
115. Feng, Y.; **Klee, D.**; Keul, H.; Hocker, H., Lipase-catalyzed ring-opening polymerization of morpholine-2,5-dione derivatives: a novel route to the synthesis of poly(ester amide)s. *Macromol. Chem. Phys.* **2000**, 201, (18), 2670-2675.

116. Volcker, N. H.; **Klee, D.**; Hanna, M.; Hocker, H.; Bou, J. J.; Martinez de Ilarduya, A.; Munoz-Guerra, S., Synthesis of heterotelechelic poly(ethylene glycol)s and their characterization by MALDI-TOF-MS. *Macromol. Chem. Phys.* **1999**, 200, (6), 1363-1373.
117. Thelen, H.; Bienert, H.; Engisch, R.; Thissen, H.; **Klee, D.**; Hocker, H.; Hoffmeister, K.; Vom Dahl, J.; Hanrath, P., Surface modified bioresorbable polymers for blood contact: study of hemocompatibility. *Front. Biomed. Polym. Appl.* **1999**, 2, 145-158.
118. Säuberlich, S.; **Klee, D.**; Richter, E. J.; Höcker, H.; Spiekermann, H., Cell culture tests for assessing the tolerance of soft tissue to variously modified titanium surfaces. *Clin Oral Implants Res* **1999**, 10, (5), 379-93.
119. Langefeld, S.; Völcker, N.; Kompa, S.; von Fischern, T.; Bienert, H.; **Klee, D.**; Höcker, H.; Reim, M.; Schrage, N. F., Functionally adapted surfaces on a silicone keratoprosthesis. *Int J Artif Organs* **1999**, 22, (4), 235-41.
120. Lahann, J.; **Klee, D.**; Thelen, H.; Bienert, H.; Vorwerk, D.; Höcker, H., Improvement of hemocompatibility of metallic stents by polymer coating. *J. Mater. Sci.: Mater. Med.* **1999**, 10, (7), 443-448.
121. Lahann, J.; **Klee, D.**; Höcker, H., CVD-polymerization of a functionalized poly(p-xylylene). A generally applicable method for the immobilization of drugs on medical implants. *Materialwiss. Werkstofftech.* **1999**, 30, (12), 763-766.
122. **Klee, D.**; Höcker, H., Polymers for biomedical applications: improvement of the interface compatibility. *Adv. Polym. Sci.* **1999**, 149, (Biomedical Applications/Polymer Blends), 1-57.
123. **Klee, D.**, Hospital discharge. Home guard. *Health Serv J* **1999**, 109, (5666), 26.
124. Höcker, H.; Lahann, J.; Pluester, W.; **Klee, D.** Method for targeted immobilization of the thrombogenic inhibitor hirudin on polymer surfaces. 98-DE3727 9932080, 19981218., 1999.
125. Feng, Y.; Knüfermann, J.; **Klee, D.**; Höcker, H., Enzyme-catalyzed ring-opening polymerization of 3(S)-isopropylmorpholine-2,5-dione. *Macromol. Rapid Commun.* **1999**, 20, (2), 88-90.
126. Feng, Y.; Knüfermann, J.; **Klee, D.**; Höcker, H., Lipase-catalyzed ring-opening polymerization of 3(S)-isopropyl-2,5-dione. *Macromol. Chem. Phys.* **1999**, 200, (6), 1506-1514.
127. Feng, Y.; **Klee, D.**; Höcker, H., Synthesis and characterization of a new ABA triblock copolymers with poly[3(S)-isobutylmorpholine-2,5-dione] and poly(ethylene oxide) blocks. *Macromol. Chem. Phys.* **1999**, 200, (10), 2276-2283.
128. Feng, Y.; **Klee, D.**; Höcker, H., New biomaterial. Triblock copolymers of poly[3(S)-isobutylmorpholine-2,5-dione]-poly(ethylene oxide). *Materialwiss. Werkstofftech.* **1999**, 30, (12), 862-868.
129. Eastmond, G. C.; Höcker, H.; **Klee, D.**, *Biomedical Applications [of] Polymer Blends. [In: Adv. Polym. Sci., 1999; 149].* 1999; p 239 pp.
130. Blindt, R.; Hoffmeister, K. M.; Bienert, H.; Pfannschmitt, O.; Bartsch, G.; Thissen, H.; **Klee, D.**; Dahl, J. V., Development of a new biodegradable intravascular polymer stent with simultaneous incorporation of bioactive substances. *Int. J. Artif. Organs* **1999**, 22, (12), 843-853.
131. Balcells, M.; **Klee, D.**; Höcker, H., Quantitative description of protein adsorption processes at polymer surfaces by means of ELISA. *Materialwiss. Werkstofftech.* **1999**, 30, (12), 846-849.
132. Balcells, M.; **Klee, D.**; Fabry, M.; Höcker, H., Quantitative Assessment of Protein Adsorption by Combination of the Enzyme-Linked Immunosorbent Assay with Radioisotope-Based Studies. *J. Colloid Interface Sci.* **1999**, 220, (2), 198-204.
133. Säuberlich, S.; Liefelth, K.; Frant, M.; **Klee, D.**; Richter, E. J.; Höcker, H.; Spiekermann, H., Characterization of the properties of differentially modified titanium surfaces for dental implantology. 2: In vitro biocompatibility studies. *Biomed Tech (Berl)* **1998**, 43, (12), 360-6.
134. Lahann, J.; **Klee, D.**; Höcker, H., Chemical vapor deposition polymerization of substituted [2.2]paracyclophanes. *Macromol. Rapid Commun.* **1998**, 19, (9), 441-444.
135. Krause, W.; Höcker, H.; Lahann, J.; **Klee, D.** Polymer-coated stents for use in restenosis prevention. 98-EP2528
a. 9848852, 19980429., 1998.
136. Reul, J.; Lahann, J.; **Klee, D.** Method for the sealing of vascular malformations, especially cerebral aneurisms, with the application of wire-shaped embolization elements. 96-19647280 19647280, 19961115., 1997.
137. Höcker, H.; Lahann, J.; **Klee, D.**; Lorenz, G. Antithrombogenic coating for extra- or intracorporeal medical devices. 96-19604173 19604173, 19960206., 1997.

138. Brauers, A.; Thissen, H.; Pfannschmidt, O.; Bienert, H.; Förster, A.; **Klee, D.**; Michaeli, W.; Höcker, H.; Jakse, G., Development of a biodegradable ureteric stent: surface modification and in vitro assessment. *J Endourol* **1997**, 11, (6), 399-403.
139. Anders, C.; Höcker, H.; **Klee, D.**; Lorenz, G. Hydrophilic coating of polymeric substrates by radiochemical grafting. 97-107898 814116, 19970515., 1997.
140. Qiu, Y. X.; **Klee, D.**; Plüster, W.; Severich, B.; Höcker, H., Surface modification of polyurethane by plasma-induced graft polymerization of poly(ethylene glycol) methacrylate. *J. Appl. Polym. Sci.* **1996**, 61, (13), 2373-2382.
141. **Klee, D.**; Severich, B.; Höcker, H., Correlation between chemical and physical surface properties and blood compatibility of PPE/EVA-blends. *Macromol. Symp.* **1996**, 103, (Polymers and Medicine), 19-29.
142. Höcker, H.; **Klee, D.**, Polymers for medical uses. *Macromol. Symp.* **1996**, 102, (9th Rolduc Polymer Meeting, Smart Polymer Materials & Products, 1995), 421-7.
143. Thelen, H.; Kaufmann, R.; **Klee, D.**; Höcker, H., Development and characterization of a wettable surface modified aromatic polyethersulfone using glow discharge induced HEMA-graft polymerization. *Fresenius' J. Anal. Chem.* **1995**, 353, (3-4), 290-6.
144. Schroeder, K.; **Klee, D.**; Höcker, H.; Leute, A.; Benninghoven, A.; Mittermayer, C., Surface analysis of PP/EVA blends modified with amino acids for biomedical applications. *J. Appl. Polym. Sci.* **1995**, 58, (4), 699-710.
145. Lorenz, G.; **Klee, D.**; Höcker, H.; Mittermayer, C., Characterization of surface-modified polyurethane blends, poly(vinyl alcohol), and poly(4-hydroxybutyl acrylate) for biomedical application by electron spin resonance spectroscopy. *J. Appl. Polym. Sci.* **1995**, 57, (4), 391-400.
146. **Klee, D.**; Klotz, M. L.; Villari, V.; Höcker, H., Rapid test methods for fibers to be used in felts. *DWI Rep.* **1995**, 116, 66pp.
147. Höcker, H.; **Klee, D.**; Schroeder, K.; Schmitz, M., Polymers for medical uses. *Adv. Sci. Technol. (Faenza, Italy)* **1995**, 4, (New Horizons for Materials), 69-77.
148. Leute, A.; Rading, D.; Benninghoven, A.; Schroeder, K.; **Klee, D.**, Static SIMS investigation of immobilized molecules on polymer surfaces. *Adv. Mater. (Weinheim, Ger.)* **1994**, 6, (10), 775-80.
149. **Klee, D.**; Villari, R. V.; Höcker, H.; Dekker, B.; Mittermayer, C., Surface modification of a new flexible polymer with improved cell adhesion. *J. Mater. Sci.: Mater. Med.* **1994**, 5, (9&10), 592-5.
150. Shammas, N. W.; Murphy, G. W.; Eichelberger, J.; **Klee, D.**; Schwartz, R.; Bachman, W. *Infective endocarditis due to Fusobacterium nucleatum: case report and review of the literature*; Department of Medicine, University of Rochester School of Medicine and Dentistry, New York 14642: United States, 1993; pp 72-5.
151. Thomas, H.; Kaufmann, R.; Phan, K. H.; Koerner, A.; Mueller, B.; **Klee, D.**; Gerstenberg, K.; Höcker, H., Corona treatment of wool - an environment friendly alternative to conventional felt-free finishing. *DWI Rep.* **1992**, 109, (Aachener Textiltagung, 1991), 211-20.
152. Plessmann, K.; Michaeli, W.; Stabrey, H.; Koske, J.; Cremer, M.; **Klee, D.**, Properties of the molding correlating with production parameters. *Kunststoffe* **1992**, 82, (9), 844-6.
153. **Klee, D.**; Schmidt, P.; Beyss, E.; Kleiker, H.; Mittermayer, C.; Höcker, H., Development of a new resorbable polymer from 2,2-dimethyltrimethylene carbonate and L-lactide. *Adv. Biomater.* **1992**, 10, (Biomaterial-Tissue Interfaces), 431-7.
154. Anderheiden, D.; Trommler, A.; Heller, B.; **Klee, D.**; Dekker, A.; Richter, H. A.; Kirkpatrick, C. J.; Mittermayer, C.; Hoecker, H., Carboxylic acid dichloride-activated polyurethane surfaces and immobilized biomolecules for endothelial cell seeding. *Adv. Biomater.* **1992**, 10, (Biomaterial-Tissue Interfaces), 199-206.
155. Anderheiden, D.; **Klee, D.**; Hoecker, H.; Heller, B.; Kirkpatrick, C. J.; Mittermayer, C., Surface modification of a biocompatible polymer based on polyurethane for artificial blood vessels. *J. Mater. Sci.: Mater. Med.* **1992**, 3, (1), 1-4.
156. Hettlich, H. J.; Otterbach, F.; Mittermayer, C.; Kaufmann, R.; **Klee, D.**, Plasma-induced surface modifications on silicone intraocular lenses: chemical analysis and in vitro characterization. *Biomaterials* **1991**, 12, (5), 521-4.
157. Breuers, W.; **Klee, D.**; Höcker, H.; Mittermayer, C., Immobilization of a fibronectin fragment at the surface of a polyetherurethane film. *J. Mater. Sci.: Mater. Med.* **1991**, 2, (2), 106-9.

158. Anderheiden, D.; Brenner, O.; **Klee, D.**; Kaufmann, R.; Richter, H. A.; Mittermayer, C.; Höcker, H., Development and characterization of a biocompatible hydroxy-modified copolymer based on polyurethane. *Angew. Makromol. Chem.* **1991**, 185-186, 109-27.
159. Plessmann, K. W.; Menges, G.; Berghaus, U.; Heidemeyer, P.; **Klee, D.**; Kueppers, M.; Ries, H., Effect of processing on properties of components made from high-impact-strength polystyrene. *Kunststoffe* **1989**, 79, (5), 458-64.
160. Krause, G.; Meurer, D.; **Klee, D.**, Space charge formation related to the morphology of polymers. *IEEE Trans. Electr. Insul.* **1989**, 24, (3), 419-23.
161. **Klee, D.**; Breuers, W.; Bilo-Jung, M.; Mittermayer, C.; Höcker, H., Modification of polymer surfaces for improvement of cell adhesion. *Angew. Makromol. Chem.* **1989**, 166-167, 179-89.
162. Mittermayer, C.; **Klee, D.**; Richter, H. Process for seeding polymeric surfaces with endothelial cells. EP 87-106835 290642, 19870512., **1988**.
163. **Klee, D.**; Breuers, W.; Höcker, H.; Mittermayer, C., Modification of polyether urethane for endothelial cell seeding. *Makromol. Chem., Macromol. Symp.* **1988**, 19, 179-87.
164. Menges, G.; Ries, H.; Linne von Berg, A.; **Klee, D.**, Degradation of polypropylene in the plasticizing unit of an injection molding machine. *Kunststoffe* **1987**, 77, (11), 1185-9.
165. **Klee, D.**; Mittermayer, C.; Höcker, H., Literature review. Part 3. Polymers for blood contact. *Plastverarbeiter* **1987**, 38, (6), 52-3, 56-8.
166. Höcker, H.; Menges, G.; Troost, A.; **Klee, D.**; Koske, J.; Stabrey, H.; Jansen, E., Structure of compression loaded polypropylene. *Kunststoffe* **1987**, 77, (5), 543-7.
167. Breuers, W.; **Klee, D.**; Plein, P.; Richter, H. A.; Menges, G.; Mittermayer, C.; Höcker, H., Modification of polyether-polyurethane films for medical applications. The effect of microwave plasma. *Kunststoffe* **1987**, 77, (12), 1273-6.
168. Zahn, H.; Menges, G.; Troost, A.; **Klee, D.**; Feser, W.; Stabrey, H.; Jansen, E., Characterization of the structure of polypropylene subjected to tensile stress. *Kunststoffe* **1986**, 76, (5), 458-62.
169. Wolf, K.; **Klee, D.**; Zahn, H., Practical analysis of polyamide fibers. *TPI, Text. Prax. Int.* **1986**, 41, (3), 309-12.
170. Wolf, K.; **Klee, D.**; Zahn, H., Practical polyamide analysis. *TPI, Text. Prax. Int.* **1986**, 41, (5), 543-4, 549-52.
171. **Klee, D.**; Gribbin, D.; Kirch, D., Chemical characterization of electron-irradiated polypropylene granulate. *Angew. Makromol. Chem.* **1985**, 131, 145-55.
172. **Klee, D.**; Altenhofen, U., Objective methods of evaluating the tendency of wool to tippy dyeing. *Melliand Textilber.* **1984**, 65, (4), 260-6.
173. Proemper, E.; **Klee, D.**; Altenhofen, U.; Zahn, H., Method for the quantitative detection of oxidizing groups in chlorinated and photooxidized wool. *Textilveredlung* **1983**, 18, (11), 330-4.
174. **Klee, D.**; Lerschmacher, P.; Zahn, H., Determination of the acid and alkali uptake for estimating oxidative damage in wool and hair. *TPI, Text. Prax. Int.* **1983**, 38, (10), 1114-16.
175. **Klee, D.**; Altenhofen, U.; Zahn, H.; Luenenschloss, J., New results on the tip dyeing of wool. *Schriftenr. Dtsch. Wollforschungsinst. (Tech. Hochsch. Aachen)* **1982**, 87, (Votr. Anlaesslich Gemeinsamen Tag. Aachener Textilforschungsinst., 8th, 1981), 68-78.